

Plex suite (server)

- [All in one](#)
- [Sabnzbd](#)
- [Sonarr](#)
- [Plex Media Server](#)
- [Radarr](#)

All in one

services:

sabnzbd:

image: lscr.io/linuxserver/sabnzbd:latest

container_name: sabnzbd

environment:

- PUID=1000
- PGID=1000
- TZ=Etc/UTC

volumes:

- /plex_suite/sabnzbd:/config
- /plex_suite/downloads/complete:/downloads #optional
- /plex_suite/downloads/incomplete:/incomplete-downloads #optional

ports:

- 8081:8080

restart: unless-stopped

sonarr:

image: lscr.io/linuxserver/sonarr:latest

container_name: sonarr

environment:

- PUID=1000
- PGID=1000
- TZ=Etc/UTC

volumes:

- /plex_suite/sonarr:/config
- /tvseries:/tv #optional
- /plex_suite/downloads/complete:/downloads #optional

ports:

- 8989:8989

restart: unless-stopped

plex:

image: lscr.io/linuxserver/plex:latest

container_name: plex

network_mode: host

environment:

- PUID=1000

- PGID=1000
- TZ=Etc/UTC
- VERSION=docker
- PLEX_CLAIM=claim-6sW16N-rZci99e-eCe3A

volumes:

- /plex_suite/plex:/config
- /tvseries:/tv
- /movies:/movies

ports:

- 32400:32400

restart: unless-stopped

radarr:

image: lscr.io/linuxserver/radarr:latest

container_name: radarr

environment:

- PUID=1000
- PGID=1000
- TZ=Etc/UTC

volumes:

- /plex_suite/radarr:/config
- /movies:/movies #optional
- /plex_suite/downloads/complete:/downloads #optional

ports:

- 7878:7878

restart: unless-stopped

Sabnzbd

sabnzbd:

image: lscr.io/linuxserver/sabnzbd:latest

container_name: sabnzbd

environment:

- PUID=1000

- PGID=1000

- TZ=Etc/UTC

volumes:

- /plex_suite/sabnzbd:/config

- /plex_suite/downloads/complete:/downloads #optional

- /plex_suite/downloads/incomplete:/incomplete-downloads #optional

ports:

- 8081:8080

restart: unless-stopped

Sonarr

sonarr:

image: lscr.io/linuxserver/sonarr:latest

container_name: sonarr

environment:

- PUID=1000

- PGID=1000

- TZ=Etc/UTC

volumes:

- /plex_suite/sonarr:/config

- /tvseries:/tv #optional

- /plex_suite/downloads/complete:/downloads #optional

ports:

- 8989:8989

restart: unless-stopped

Plex Media Server

plex:

image: lscr.io/linuxserver/plex:latest

container_name: plex

network_mode: host

environment:

- PUID=1000
- PGID=1000
- TZ=Etc/UTC
- VERSION=docker
- PLEX_CLAIM=claim-6sW16N-rZci99e-eCe3A

volumes:

- /plex_suite/plex:/config
- /tvseries:/tv
- /movies:/movies

ports:

- 32400:32400

restart: unless-stopped

Radarr

radarr:

image: lscr.io/linuxserver/radarr:latest

container_name: radarr

environment:

- PUID=1000

- PGID=1000

- TZ=Etc/UTC

volumes:

- /plex_suite/radarr:/config

- /movies:/movies #optional

- /plex_suite/downloads/complete:/downloads #optional

ports:

- 7878:7878

restart: unless-stopped