

New Page

<https://spacelift.io/blog/install-kubernetes>

```
IPADDR="192.168.1.41"  
NODENAME=$(hostname -s)  
POD_CIDR="192.168.0.0/24"
```

```
sudo kubeadm init --apiserver-advertise-address=$IPADDR --apiserver-cert-extra-sans=$IPADDR  
--pod-network-cidr=$POD_CIDR --node-name $NODENAME --cri-  
socket=unix:///var/run/crio/crio.sock
```

Your Kubernetes control-plane has initialized successfully!

To start using your cluster, you need to run the following as a regular user:

```
mkdir -p $HOME/.kube  
sudo cp -i /etc/kubernetes/admin.conf $HOME/.kube/config  
sudo chown $(id -u):$(id -g) $HOME/.kube/config
```

Alternatively, if you are the root user, you can run:

```
export KUBECONFIG=/etc/kubernetes/admin.conf
```

You should now deploy a pod network to the cluster.

Run "kubectl apply -f [podnetwork].yaml" with one of the options listed at:

<https://kubernetes.io/docs/concepts/cluster-administration/addons/>

Then you can join any number of worker nodes by running the following on each as root:

```
kubeadm join 192.168.1.41:6443 --token v290yb.gb0w9jg9y0av6r3n --discovery-token-ca-cert-hash  
sha256:77c1d123a9a1a30f82a4a801dd93a9a90e91ebc419806d2766a03041d5ee506d
```

<https://docs.tigera.io/calico/latest/operations/calicoctl/install#install-calicoctl-as-a-kubectl-plugin-on-a-single-host>

<https://stackoverflow.com/questions/60176343/how-to-make-the-pod-cidr-range-larger-in-kubernetes-cluster-deployed-with-kubead>

Revision #6

Created 2024-07-13 11:22:51 UTC by Admin

Updated 2024-07-14 20:08:35 UTC by Admin