

# SSH setup

```
28 sudo vim /etc/ssh/sshd_config.d/disable_root_login.conf
29 /etc/init.d/ssh reload
30 sudo systemctl restart ssh
```

```
sudo vim /etc/ssh/sshd_config.d/disable_root_login.conf
sudo systemctl restart sshd
```

```
arthur_wambst@wingsBackup:~$ cat /etc/ssh/sshd_config.d/disable_root_login.conf
```

```
sudo echo "ChallengeResponseAuthentication no\nPasswordAuthentication no\nUsePAM
no\nPermitRootLogin no" > /etc/ssh/sshd_config.d/disable_root_login.conf
```

```
export PORT=.
ssh-copy-id -p $PORT napo280.ovh
ssh napo280.ovh -p $PORT
```

```
cat <<EOF | sudo tee /etc/ssh/sshd_config.d/disable_root_login.conf
ChallengeResponseAuthentication no
PasswordAuthentication no
UsePAM no
PermitRootLogin no
EOF
sudo systemctl restart sshd
```

```
arthur_wambst@WORK-KARTOFFEL:~/TP_assembleur$ ssh-copy-id -p 2331 napo280.ovh
```

---

Revision #7

Created 1 August 2024 16:27:38 by Admin

Updated 25 September 2024 16:39:29 by Admin